



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**SYNTHETIC GREASES**

**Multi-Purpose Synthetic Grease with Synconol® (PTFE) - Food Grade - NSF Rated H1**

**Super Lube® Multi-Purpose Synthetic Grease (NLGI 2) with Synconol® (PTFE)**

82340	1 cc. Packet	5000	0 82353-82340 6	21 Lb.	14	13.75	7.38	0.82
21006	6 cc. Syringe	12	0 82353-21006 0	1 Lb.	2.75	5.75	7	0.06
21010	1/2 oz. Tube Blistered	12	0 82353-21010 7	1 Lb.	4.25	4.5	8.88	0.10
21014	1/2 oz. Tube Bulk	400	0 82353-21014 5	14 Lb.	10.13	13.44	9.13	0.72
21020	1 oz. Bellow - Blistered	6	0 82353-21020 6	1 Lb.	4.25	4.5	8.88	0.10
21030	3 oz. Tube	12	0 82353-21030 5	3 Lbs.	4.5	5.63	7.38	0.11
21036	3 oz. Cartridge	12	0 82353-21036 7	3 Lbs.	4.5	5.63	7.38	0.11
41150	14.1 oz. (400 gram) Cartridge	12	0 82353-41150 4	13 Lb.	8	9.63	10.25	0.46
41160	14.1 oz. (400 gram) Canister	12	0 82353-41160 3	13 Lb.	12.75	8.75	8.5	0.55
41580	450 ml. Bellows Cartridge	12	0 82353 41580 9	13 Lb.	7.5	11	9.25	0.44
41050	5 lb. Pail	4	0 82353-41050 7	25 Lb.	15.88	15.88	8.38	1.22
41030	30 lb. Pail	1	0 82353-41030 9	33 Lb.		12.13	14.88	0.99
41120	120 lb. Keg	1	0 82353-41120 7	131 Lb.		14.75	27	2.67
41140	400 lb. Drum	1	0 82353-41140 5	435 Lb.		24	35	9.16

**Super Lube® Multi-Purpose Synthetic Grease (NLGI 1) with Synconol® (PTFE)**

41150/1	14.1 oz. (400 gram) Cartridge	12	0 82353-41151 1	13 Lb.	8	9.63	10.25	0.46
41160/1	14.1 oz. (400 gram) Canister	12	0 82353-41161 0	13 Lb.	12.75	8.75	8.5	0.55
41580/1	450 ml. Bellows Cartridge	12	0 82353 41581 6	13 Lb.	7.5	11	9.25	0.44
41050/1	5 lb. Pail	4	0 82353-41051 4	25 Lb.	15.88	15.88	8.38	1.22
41030/1	30 lb. Pail	1	0 82353-41031 6	33 Lb.		12.13	14.88	0.99
41120/1	120 lb. Keg	1	0 82353-41121 4	131 Lb.		14.75	27	2.67
41140/1	400 lb. Drum	1	0 82353-41141 2	435 Lb.		24	35	9.16

**Super Lube® Multi-Purpose Synthetic Grease (NLGI 0) with Synconol® (PTFE)**

41150/0	14.1 oz. (400 gram) Cartridge	12	0 82353-41972 2	13 Lb.	8	9.63	10.25	0.46
41160/0	14.1 oz. (400 gram) Canister	12	0 82353-41963 0	13 Lb.	12.75	8.75	8.5	0.55
41580/0	450 ml. Bellows Cartridge	12	0 82353-41589 2	13 Lb.	7.5	11	9.25	0.44
41050/0	5 lb. Pail	4	0 82353-41984 5	25 Lb.	15.88	15.88	8.38	1.22
41030/0	30 lb. Pail	1	0 82353-41999 9	33 Lb.		12.13	14.88	0.99
41120/0	120 lb. Keg	1	0 82353-41979 1	131 Lb.		14.75	27	2.67
41140/0	400 lb. Drum	1	0 82353-41978 4	435 Lb.		24	35	9.16

**Super Lube® Multi-Purpose Synthetic Grease (NLGI 00) with Synconol® (PTFE)**

82340/00	1 cc. Packet	5000	0 82353-82999 6	18 Lb.	14	14.25	8	0.92
41150/00	14.1 oz. (400 gram) Cartridge	12	0 82353-41971 5	13 Lb.	8	9.63	10.25	0.46
41160/00	14.1 oz. (400 gram) Canister	12	0 82353-41962 3	13 Lb.	12.75	8.75	8.5	0.55
41050/00	5 lb. Pail	4	0 82353-41983 8	25 Lb.	15.88	15.88	8.38	1.22
41030/00	30 lb. Pail	1	0 82353-41998 2	33 Lb.		12.13	14.88	0.99
41120/00	120 lb. Keg	1	0 82353-41980 7	131 Lb.		14.75	27	2.67
41140/00	400 lb. Drum	1	0 82353-41977 7	435 Lb.		24	35	9.16



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Super Lube® Multi-Purpose Synthetic Grease (NLGI 000) with Syncolon® (PTFE)**

41150/000	14.1 oz. (400 gram) Cartridge	12	0 82353-41959 3	13 Lb.	8	9.63	10.25	0.46
41160/000	14.1 oz. (400 gram) Canister	12	0 82353-41960 9	13 Lb.	12.75	8.75	8.5	0.55
41050/000	5 lb. Pail	4	0 82353-41982 1	25 Lb.	15.88	15.88	8.38	1.22
41030/000	30 lb. Pail	1	0 82353-41996 8	33 Lb.		12.13	14.88	0.99
41120/000	120 lb. Keg	1	0 82353-41820 6	131 Lb.		14.75	27	2.67
41140/000	400 lb Drum	1	0 82353-41840 4	435 Lb.		24	35	9.16

**Super Lube® Multi-Purpose Synthetic UV Grease (NLGI 2) with Syncolon® (PTFE)**

41150/UV	14.1 oz. (400 gram) Cartridge	12	0 82353-41970 8	13 Lb.	8	9.63	10.25	0.46
41160/UV	14.1 oz. (400 gram) Canister	12	0 82353-41968 5	13 Lb.	12.75	8.75	8.5	0.55
41050/UV	5 lb. Pail	4	0 82353-41981 4	25 Lb.	15.88	15.88	8.38	1.22
41030/UV	30 lb. Pail	1	0 82353-41991 3	33 Lb.		12.13	14.88	0.99

**High Temperature E.P. Grease with Syncolon® (PTFE) - Food Grade - NSF Rated H1**

**Super Lube® High Temperature E.P. Grease (NLGI 2) with Syncolon® (PTFE)**

70006	6 cc. Syringe	12	0 82353-70006 6	1 Lb.	2.75	5.75	7	0.06
71150	14.1 oz. (400 gram) Cartridge	12	0 82353-71150 5	13 Lb.	8	9.63	10.25	0.46
71160	14.1 oz. (400 gram) Canister	12	0 82353-71160 4	13 Lb.	12.75	8.75	8.5	0.55
70050	5 lb. Pail	4	0 82353-70050 9	25 Lb.	15.88	15.88	8.38	1.22
70300	30 lb. Pail	1	0 82353-70300 5	33 Lb.		12.38	14.88	1.04
70120	120 lb. Keg	1	0 82353-70120 9	131 Lb.		14.75	27	2.67
70400	400 lb. Drum	1	0 82353-70400 2	435 Lb.		24	35	9.16

**Nuclear Grade Approved Grease**

**Super Lube® Nuclear Grade Approved Grease**

42150	14.1 oz. (400 gram) Cartridge	12	0 82353-42150 3	13 Lb.	8	9.63	10.25	0.46
42130	30 lb. Pail	1	0 82353-42130 5	33 Lb.		12.38	14.88	1.04
42140	400 lb. Drum	1	0 82353-42140 4	435 Lb.		24	35	9.16

**SILICONE GREASES**

**Silicone Dielectric and Vacuum Grease - Food Grade - NSF Rated H1**

**Super Lube® Silicone Dielectric and Vacuum Grease**

91003	3 oz. Tube	12	0 82353-91003 8	3 Lb.	4.5	5.63	7.38	0.11
91015	14.1 oz. (400 gram) Cartridge	12	0 82353-91015 1	13 Lb.	8	9.63	10.25	0.46
91016	14.1 oz. (400 gram) Canister	12	0 82353-91016 8	13 Lb.	12.75	8.75	8.5	0.55
91005	5 lb. Pail	4	0 82353-91005 2	25 Lb.	15.88	15.88	8.38	1.22
91030	30 lb. Pail	1	0 82353-91030 4	33 Lb.		12.38	14.88	1.04
91120	120 lb. Keg	1	0 82353-91120 2	131 Lb.		14.75	27	2.67
91400	400 lb. Drum	1	0 82353-91400 5	435 Lb.		24	35	9.16



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Super Lube® Silicone Dielectric and Vacuum UV Grease**

91015/UV	14.1 oz. (400 gram) Cartridge	12	0 82353-91815 7	13 Lb.	8	9.63	10.25	0.46
91016/UV	14.1 oz. (400 gram) Canister	12	0 82353-91816 4	13 Lb.	12.75	8.75	8.5	0.55
91005/UV	5 lb. Pail	4	0 82353-91805 8	25 Lb.	15.88	15.88	8.38	1.22
91030/UV	30 lb. Pail	1	0 82353-91830 0	33 Lb.		12.38	14.88	1.04

**Silicone Lubricating Grease with Synconol® (PTFE) - Food Grade - NSF Rated H1**

**Super Lube® Silicone Lubricating Grease with Synconol® (PTFE)**

92000	1 cc. Packet	4000	0 82353-92000 6	16 Lb.	14	13.75	7.38	0.82
92003	3 oz. Tube	12	0 82353-92003 7	3 Lb.	4.5	5.63	7.38	0.11
92150	14.1 oz. (400 gram) Cartridge	12	0 82353-92150 8	13 Lb.	8	9.63	10.25	0.46
92016	14.1 oz. (400 gram) Canister	12	0 82353-92016 7	13 Lb.	12.75	8.75	8.5	0.55
92005	5 lb. Pail	4	0 82353-92005 1	25 Lb.	15.88	15.88	8.38	1.22
92030	30 lb. Pail	1	0 82353-92030 3	33 Lb.		12.38	14.88	1.04
92120	120 lb. Keg	1	0 82353-92120 1	131 Lb.		14.75	27	2.67
92400	400 lb. Drum	1	0 82353-92400 4	435 Lb.		24	35	9.16

**Super Lube® Silicone Lubricating Brake Grease with Synconol® (PTFE)**

97008	8 oz. Tube	12	0 82353-97008 7	8 Lb.	8	9.63	10.25	0.46
-------	------------	----	-----------------	-------	---	------	-------	------

**O-Ring Silicone Grease - Food Grade - NSF Rated H1**

**Super Lube® O-Ring Silicone Grease**

93003	3 oz. Tube	12	0 82353-93003 6	3 Lb.	4.5	5.63	7.38	0.11
93016	14.1 oz. (400 gram) Canister	12	0 82353-93016 6	13 Lb.	12.75	8.75	8.5	0.55
93030	30 lb. Pail	1	0 82353-93030 2	33 Lb.		12.38	14.88	1.04
93400	400 lb. Drum	1	0 82353-93400 3	435 Lb.		24	35	9.16

**SYNTHETIC OILS**

**Multi-Use Synthetic Oils - Food Grade - NSF Rated H1**

**Super Lube® Multi-Use Synthetic Oil with Synconol® (PTFE) (ISO 100)**

51010	7 ml. Precision Oiler (Blistered)	12	0 82353-51010 8	1 Lb.	4.25	4.5	8.88	0.10
51014	7 ml. Precision Oiler (Bulk)	400	0 82353-51014 6	12 Lb.	10.13	13.44	9.13	0.72
51004	4 oz. Bottle	6	0 82353-51004 7	2 Lb.	3.69	5.5	6.88	0.08
51008	8 oz. Bottle	12	0 82353-51008 5	7 Lb.	6.75	9	7.75	0.27
51025	1 Pint Bottle	12	0 82353-51025 2	13 Lb.	12.75	8.75	8.5	0.27
51030	1 Quart Bottle	12	0 82353-51030 6	25 Lb.	14	9.75	11.5	0.91
51040	1 Gallon Bottle	4	0 82353-51040 5	32 Lb.	14.5	9.75	10.9	0.89
51050	5 Gallon Pail	1	0 82353-51050 4	40 Lb.		12.38	14.88	1.04
51150	15 Gallon Keg	1	0 82353 51150 1	119 Lb.		14.25	25.25	2.33
51550	55 Gallon Drum	1	0 82353-51550 9	429 Lb.		23	35	8.41

**Super Lube® Multi-Use Synthetic UV Oil with Synconol® (PTFE) (ISO 100)**

51014/UV	7 ml. Precision Oiler (Bulk)	400	0 82353-51714 5	12 Lb.	10.13	13.44	9.13	0.72
51004/UV	4 oz. Bottle	6	0 82353-51704 6	2 Lb.	3.69	5.5	6.88	0.08
51030/UV	1 Quart Bottle	12	0 82353-51730 5	25 Lb.	14	9.75	11.5	0.91
51040/UV	1 Gallon Bottle	4	0 82353-51740 4	32 Lb.	14.5	9.75	10.9	0.89
51050/UV	5 Gallon Pail	1	0 82353-51750 3	40 Lb.		12.38	14.88	1.04



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Multi-Use Synthetic Lightweight Oil - Food Grade - NSF Rated H1**

**Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 10)**

50104	4 oz. Bottle	6	0 82353-50104 5	2 Lb.	3.69	5.5	6.88	0.08
50108	8 oz. Bottle	12	0 82353-50108 3	7 Lb.	6.75	9	7.75	0.27
50120	1 Pint Bottle	12	0 82353-50120 5	13 Lb.	12.75	8.75	8.5	0.55
50130	1 Quart Bottle	12	0 82353-50130 4	24 Lb.	14	9.75	11.5	0.91
50140	1 Gallon Bottle	4	0 82353-50140 3	30 Lb.	14.5	9.75	10.9	0.89
50150	5 Gallon Pail	1	0 82353-50150 2	38 Lb.		12.38	14.88	1.04
50115	15 Gallon Keg	1	0 82353-50115 1	115 Lb.		14.25	25.25	2.33
50155	55 Gallon Drum	1	0 82353-50155 7	404 Lb.		23	35	8.41

**Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 22)**

50204	4 oz. Bottle	6	0 82353-50204 2	2 Lb.	3.69	5.5	6.88	0.08
50208	8 oz. Bottle	12	0 82353-50208 0	7 Lb.	6.75	9	7.75	0.27
50220	1 Pint Bottle	12	0 82353-50220 2	13 Lb.	12.75	8.75	8.5	0.55
50230	1 Quart Bottle	12	0 82353-50230 1	24 Lb.	14	9.75	11.5	0.91
50240	1 Gallon Bottle	4	0 82353-50240 0	30 Lb.	14.5	9.75	10.9	0.89
50250	5 Gallon Pail	1	0 82353-50250 9	38 Lb.		12.38	14.88	1.04
50215	15 Gallon Keg	1	0 82353-50215 8	116 Lb.		14.25	25.25	2.33
50255	55 Gallon Drum	1	0 82353-50255 4	405 Lb.		23	35	8.41

**Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 32)**

50304	4 oz. Bottle	6	0 82353-50304 9	2 Lb.	3.69	5.5	6.88	0.08
50308	8 oz. Bottle	12	0 82353-50308 7	7 Lb.	6.75	9	7.75	0.27
50320	1 Pint Bottle	12	0 82353-50320 9	13 Lb.	12.75	8.75	8.5	0.55
50330	1 Quart Bottle	12	0 82353-50330 8	24 Lb.	14	9.75	11.5	0.91
50340	1 Gallon Bottle	4	0 82353-50340 7	30 Lb.	14.5	9.75	10.9	0.89
50350	5 Gallon Pail	1	0 82353-50350 6	38 Lb.		12.38	14.88	1.04
50315	15 Gallon Keg	1	0 82353-50315 5	117 Lb.		14.25	25.25	2.33
50355	55 Gallon Drum	1	0 82353-50355 1	410 Lb.		23	35	8.41

**Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 46)**

53004	4 oz. Bottle	6	0 82353-53004 5	2 Lb.	3.69	5.5	6.88	0.07
53008	8 oz. Bottle	12	0 82353-53008 3	7 Lb.	6.75	9	7.75	0.29
53020	1 Pint Bottle	12	0 82353-53020 5	13 Lb.	12.75	8.75	8.5	0.30
53030	1 Quart Bottle	12	0 82353-53030 4	25 Lb.	14	9.75	11.5	0.50
53040	1 Gallon Bottle	4	0 82353-53040 3	32 Lb.	14.5	9.75	10.9	0.47
53050	5 Gallon Pail	1	0 82353-53050 2	38 Lb.		12.38	14.88	1.04
53150	15 Gallon Keg	1	0 82353-53150 9	119 Lb.		14.25	25.25	2.33
53550	55 Gallon Drum	1	0 82353-53550 7	420 Lb.		23	35	8.41

**Super Lube® Multi-Use Synthetic Lightweight Oil (ISO 68)**

52004	4 oz. Bottle	6	0 82353-52004 6	2 Lb.	3.69	5.5	6.88	0.08
52008	8 oz. Bottle	12	0 82353-52008 4	7 Lb.	6.75	9	7.75	0.27
52020	1 Pint Bottle	12	0 82353-52020 6	13 Lb.	12.75	8.75	8.5	0.55
52030	1 Quart Bottle	12	0 82353-52030 5	24 Lb.	14	9.75	11.5	0.91
52040	1 Gallon Bottle	4	0 82353-52040 4	31 Lb.	14.5	9.75	10.9	0.89
52050	5 Gallon Pail	1	0 82353-52050 3	39 Lb.		12.38	14.88	1.04
52150	15 Gallon Keg	1	0 82353-52150 0	121 Lb.		14.25	25.25	2.33
52550	55 Gallon Drum	1	0 82353-52550 8	417 Lb.		23	35	8.41



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Synthetic Gear Oil - Food Grade - NSF Rated H1**

**Super Lube® Synthetic Gear Oil ISO 150**

54100	1 Quart Bottle	12	0 82353-54100 3	25 Lb.	10.13	13.44	9.13	0.72
54101	1 Gallon Bottle	4	0 82353-54101 0	32 Lb.	14.5	9.75	10.9	0.89
54105	5 Gallon Pail	1	0 82353-54105 8	40 Lb.		12.38	14.88	1.04
54155	55 Gallon Drum	1	0 82353-54155 3	433 Lb.		23	35	8.41

**Super Lube® Synthetic Gear Oil ISO 220**

54200	1 Quart Bottle	12	0 82353-54200 0	25 Lb.	10.13	13.44	9.13	0.72
54201	1 Gallon Bottle	4	0 82353-54201 7	32 Lb.	14.5	9.75	10.9	0.89
54205	5 Gallon Pail	1	0 82353-54205 5	40 Lb.		12.38	14.88	1.04
54255	55 Gallon Drum	1	0 82353-54255 0	433 Lb.		23	35	8.41

**Super Lube® Synthetic Gear Oil ISO 320**

54300	1 Quart Bottle	12	0 82353-54300 7	25 Lb.	10.13	13.44	9.13	0.72
54301	1 Gallon Bottle	4	0 82353-54301 4	32 Lb.	14.5	9.75	10.9	0.89
54305	5 Gallon Pail	1	0 82353-54305 2	40 Lb.		12.38	14.88	1.04
54355	55 Gallon Drum	1	0 82353-54355 7	433 Lb.		23	35	8.41

**Super Lube® Synthetic Gear Oil ISO 460**

54432	1 Quart Bottle	12	0 82353-54432 5	25 Lb.	10.13	13.44	9.13	0.72
54401	1 Gallon Bottle	4	0 82353-54401 1	32 Lb.	14.5	9.75	10.9	0.89
54405	5 Gallon Pail	1	0 82353-54405 9	40 Lb.		12.38	14.88	1.04
54455	55 Gallon Drum	1	0 82353-54455 4	433 Lb.		23	35	8.41

**Super Lube® Synthetic Gear Oil ISO 680**

54632	1 Quart Bottle	12	0 82353-54632 9	25 Lb.	10.13	13.44	9.13	0.72
54601	1 Gallon Bottle	4	0 82353-54601 5	32 Lb.	14.5	9.75	10.9	0.89
54605	5 Gallon Pail	1	0 82353-54605 3	40 Lb.		12.38	14.88	1.04
54655	55 Gallon Drum	1	0 82353-54655 8	433 Lb.		23	35	8.41

**Air Tool Pneumatic Lubricant - Food Grade - NSF Rated H1**

**Super Lube® Air Tool Pneumatic Lubricant**

12004	4 oz. Bottle	6	0 82353-12004 8	2 Lb.	3.69	5.5	6.88	0.08
12016	1 Pint Bottle	12	0 82353-12016 1	13 Lb.	12.75	8.75	8.5	0.55
12032	1 Quart Bottle	12	0 82353-12032 1	24 Lb.	14	9.75	11.5	0.91
12040	1 Gallon Bottle	4	0 82353-12040 6	31 Lb.	14.5	9.75	10.9	0.89
12050	5 Gallon Pail	1	0 82353-12050 5	38 Lb.		12.38	14.88	1.04
12155	55 Gallon Drum	1	0 82353-12155 7	417 Lb.		23	35	8.41

**Low Temperature Synthetic Oil - Food Grade - NSF Rated H1**

**Super Lube® Low Temperature Synthetic Oil (< -50°F)**

74050	5 Gallon Pail	1	0 82353-74050 5	38 Lb.		12.38	14.88	1.04
74055	55 Gallon Drum	1	0 82353-74055 0	408 Lb.		23	35	8.41



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**H3 Lightweight Oil - Food Grade - NSF Rated H3**

**Super Lube® H3 Lightweight Oil**

60004	4 oz. Bottle	6	0 82353-60004 5	2 Lb.	3.69	5.5	6.88	0.08
60016	1 Pint Bottle	12	0 82353-60016 8	13 Lb.	12.75	8.75	8.5	0.55
60032	1 Quart Bottle	12	0 82353-60032 8	25 Lb.	14	9.75	11.5	0.91
60040	1 Gallon Bottle	4	0 82353-60040 3	32 Lb.	14.5	9.75	10.9	0.89
60050	5 Gallon Pail	1	0 82353-60050 2	39 Lb.		12.38	14.88	1.04
60550	55 Gallon Drum	1	0 82353-60550 7	433 Lb.		23	35	8.41

**SILICONE OILS**

**Silicone Oil - Food Grade - NSF Rated H1**

**Super Lube® Silicone Oil 100 cSt**

56104	4 oz. Bottle	6	0 82353-56104 9	2 Lb.	3.69	5.5	6.88	0.08
56101	1 Gallon Bottle	4	0 82353-56101 8	35 Lb.	14.5	9.75	10.9	0.89
56105	5 Gallon Pail	1	0 82353-56105 6	44 Lb.		12.38	14.88	1.04
56155	55 Gallon Drum	1	0 82353-56155 1	481 Lb.		23	35	8.41

**Super Lube® Silicone Oil 350 cSt**

56304	4 oz. Bottle	6	0 82353-56304 3	2 Lb.	3.69	5.5	6.88	0.08
56301	1 Gallon Bottle	4	0 82353-56301 2	35 Lb.	14.5	9.75	10.9	0.89
56305	5 Gallon Pail	1	0 82353-56305 0	44 Lb.		12.38	14.88	1.04
56355	55 Gallon Drum	1	0 82353-56355 5	481 Lb.		23	35	8.41

**Super Lube® Silicone Oil 1000 cSt**

56404	4 oz. Bottle	6	0 82353-56404 0	2 Lb.	3.69	5.5	6.88	0.08
56401	1 Gallon Bottle	4	0 82353-56401 9	35 Lb.	14.5	9.75	10.9	0.89
56405	5 Gallon Pail	1	0 82353-56405 7	44 Lb.		12.38	14.88	1.04
56455	55 Gallon Drum	1	0 82353-56455 2	481 Lb.		23	35	8.41

**Super Lube® Silicone Oil 5000 cSt**

56504	4 oz. Bottle	6	0 82353-56504 7	2 Lb.	3.69	5.5	6.88	0.08
56501	1 Gallon Bottle	4	0 82353-56501 6	35 Lb.	14.5	9.75	10.9	0.89
56505	5 Gallon Pail	1	0 82353-56505 4	45 Lb.		12.38	14.88	1.04
56555	55 Gallon Drum	1	0 82353-56555 9	481 Lb.		23	35	8.41

**O-Ring Silicone Lubricant - Food Grade - NSF Rated H1**

**Super Lube® O-Ring Silicone Lubricant**

56204	4 oz Bottle	6	0 82353-56204 6	2 Lb.	3.69	5.5	6.88	0.08
56205	5 Gallon Pail	1	0 82353-56205 3	45 Lb.		12.38	14.88	1.04
56255	55 Gallon Drum	1	0 82353-56255 8	481 Lb.		23	35	8.41



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**PENETRANTS**

**Syncopen® Synthetic Penetrant - Food Grade - NSF Rated H1**

**Super Lube® Syncopen® Synthetic Penetrant**

85004	4 oz. Mist Spray Bottle	6	0 82353-85004 4	2 Lb	3.69	5.5	6.88	0.07
85010	1 Gallon Bottle	4	0 82353-85010 5	31 Lb.	14.5	9.75	10.9	0.89
85050	5 Gallon Pail	1	0 82353-85050 1	36 Lb.		12.38	14.88	1.04
85055	55 Gallon Drum	1	0 82353-85055 6	393 Lb.		23	35	8.41

**AEROSOLS/NON-AEROSOL SPRAYS**

**Aerosols - Food Grade - NSF Rated H1**

**Super Lube® Multi-Purpose Synthetic Lubricant with Synconol® (PTFE)**

31040	6 oz. Multi-Purpose with Synconol® (PTFE)	12	0 82353-31040 1	7 Lb.	6.63	8.63	7.13	0.24
31110	11 oz. Multi-Purpose with Synconol® (PTFE)	12	0 82353-31110 1	12 Lb.	8.25	10.88	8.38	0.44

**Super Lube® Dri-Film Lubricant with Synconol® (PTFE)**

11006	5.25 oz. Dri-Film with Synconol® (PTFE)	12	0 82353-11006 3	7 Lb.	6.63	8.63	7.13	0.24
11016	11 oz. Dri-Film with Synconol® (PTFE)	12	0 82353-11016 2	12 Lb.	8.25	10.88	8.38	0.44

**Super Lube® Silicone Lubricant**

91110	11 oz. Silicone	12	0 82353-91110 3	13 Lb.	8.25	10.88	8.38	0.44
-------	-----------------	----	-----------------	--------	------	-------	------	------

**Super Lube® Syncopen® Synthetic Penetrant**

85011	11 oz. Syncopen® Penetrant	12	0 82353-85011 2	12 Lb.	8.25	10.88	8.38	0.44
-------	----------------------------	----	-----------------	--------	------	-------	------	------

**Super Lube® Metal Protectant and Corrosion Inhibitor**

83110	11 oz. Metal Protectant/Corrosion Inhibitor	12	0 82353-83110 4	12 Lb.	8.25	10.88	8.38	0.44
-------	---	----	-----------------	--------	------	-------	------	------

**Non-Aerosol Sprays - Food Grade - NSF Rated H1**

**Super Lube® Multi-Use Synthetic Oil with Synconol® (PTFE)**

51600	1 Quart Trigger Sprayer	12	0 82353-51600 1	26 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------

**Super Lube® Silicone Oil 100 cSt**

56132	1 Quart Trigger Sprayer	12	0 82353-56132 2	26 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------

**Super Lube® Syncopen® Synthetic Penetrant**

85032	1 Quart Trigger Sprayer	12	0 82353-85032 7	24 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------

**Super Lube® Metal Protectant and Corrosion Inhibitor**

83032	1 Quart Trigger Sprayer	12	0 82353-83032 9	24 Lb.	14	9.75	11.5	0.91
-------	-------------------------	----	-----------------	--------	----	------	------	------



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**SPECIALTY PRODUCTS**

**Food Grade Anti-Seize with Synconol® (PTFE) - Food Grade - NSF Rated H1**

**Super Lube® Food Grade Anti-Seize Lubricant with Synconol® (PTFE)**

48008	8 oz. Brush Bottle	6	0 82353-48008 1	4 Lb.	6.88	7.25	6.75	0.19
48160	14.1 oz. (400 gram) Canister	12	0 82353-48160 6	13 Lb.	12.75	8.75	8.5	0.55

**Metal Protectant and Corrosion Inhibitor - Food Grade - NSF Rated H1**

**Super Lube® Metal Protectant and Corrosion Inhibitor**

83050	5 Gallon Pail	1	0 82353-83050 3	36 Lb.		12.38	14.88	1.04
-------	---------------	---	-----------------	--------	--	-------	-------	------

**Engine Treatment with Synconol® (PTFE)**

**Super Lube® Engine Treatment with Synconol® (PTFE)**

20040	4 oz. Booster	6	0 82353-20040 5	2 Lb.	3.69	5.5	6.88	0.08
20320	1 Quart Bottle	12	0 82353-20320 8	25 Lb.	10.13	13.44	9.13	0.72

**Engine Assembly Grease**

**Super Lube® Engine Assembly Grease**

19003	3 oz. Tube	12	0 82353-19003 4	3 Lb.	4.5	5.63	7.38	0.11
19008	8 oz. Brush Bottle	6	0 82353-19008 9	4 Lb.	6.88	7.25	6.75	0.19

**Heat Sink Thermally Conductive Compound**

**Super Lube® Heat Sink Thermally Conductive Compound**

98003	3 oz. Tube	12	0 82353-98003 1	3 Lb.	4.5	5.63	7.38	0.11
98050	5 lb. Pail	4	0 82353-98050 5	25 Lb.	15.88	15.88	8.38	1.22
98030	30 lb. Pail	1	0 82353-98030 7	33 Lb.		12.38	14.88	1.04

**Anti-Corrosion and Connector Gel**

**Super Lube® Anti-Corrosion & Connector Gel**

82003	3 oz. Tube	12	0 82353-82003 0	3 Lb.	4.5	5.63	7.38	0.11
82016	14.1 oz. (400 gram) Canister	12	0 82353-82016 0	13 Lb.	12.75	8.75	8.5	0.55
82030	30 lb. Pail	1	0 82353-82030 6	33 Lb.		12.38	14.88	1.04
82120	120 lb. Keg	1	0 82353-82120 4	131 Lb.		14.75	27	2.67

**Fire Resistant Hydraulic Fluid**

**Super Lube® Fire Resistant Hydraulic Fluid**

86010	1 Gallon Bottle	4	0 82353-86010 4	39 Lb.	14.5	9.75	10.9	0.86
86050	5 Gallon Pail	1	0 82353-86050 0	49 Lb.		14.75	27	2.67
86055	55 Gallon Drum	1	0 82353-86055 5	528 Lb.		23	35	8.41





**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**SuperPull Electrical / Fiber Optic Pulling Compound**

**Super Lube® SuperPull Electrical / Fiber Optic Pulling Compound**

80320	1 Quart Bottle	12	0 82353-80320 0	28 Lb.	14	9.75	11.5	0.91
80010	1 Gallon Bottle	4	0 82353-80010 0	36 Lb.	14.5	9.75	10.9	0.89
80050	5 Gallon Pail	1	0 82353-80050 6	45 Lb.		12.38	14.88	1.04

**Grommet Lube**

**Super Lube® Grommet Lube**

81050	5 Gallon Pail	1	0 82353-81050 5	44 Lb.		12.38	14.88	1.04
81055	55 Gallon Drum	1	0 82353-81055 0	484 Lb.		23	35	8.41

**BICYCLE LUBRICANTS**

**Wet Lube Bike Lubricant**

**Super Lube® Wet Lube Bike Lubricant**

55204	4 oz Bottle	6	0 82353-55204 7	2 Lb.	3.69	5.5	6.88	0.08
-------	-------------	---	-----------------	-------	------	-----	------	------

**Dri Lube Bike Lubricant with Syncolon® (PTFE)**

**Super Lube® Dri Lube Bike Lubricant with Syncolon® (PTFE)**

55904	4 oz Bottle	6	0 82353-55904 6	2 Lb.	3.69	5.5	6.88	0.08
-------	-------------	---	-----------------	-------	------	-----	------	------

**FOOD GRADE CLEANER**

**Cleaner/Degreaser - Food Grade - NSF Rated A1**

**Super Lube® Super Kleen**

10004	4 oz. Mist Spray Bottle	6	0 82353-10004 0	2 Lb.	3.69	5.5	6.88	0.08
10032	1 Quart Trigger Sprayer	12	0 82353-10032 3	29 Lb.	14	9.75	11.5	0.91
10001	1 Gallon Bottle	4	0 82353-10001 9	35 Lb.	14.5	9.75	10.9	0.89
10005	5 Gallon Pail	1	0 82353-10005 7	46 Lb.		12.38	14.88	1.04
10060	55 Gallon Drum	1	0 82353-10060 6	498 Lb.		23	35	8.41

**DISPLAYS AND ACCESSORIES**

**Super Lube® Displays**

11367	Counter Display - Cartridges (12 Pcs.)	1	0 82353-11367 5	13 Lb.	8	9.63	10.25	0.46
11362	Counter Display (36 Pcs.)	1	0 82353-11362 0	27 Lb.	18.12	18	15.04	2.84
11365	Combo Display (60 Pcs.)	1	0 82353-11365 1	47 Lb.	18.12	18	15.04	2.84
11520	Sportsman's Kit	12	0 82353-11520 4	2 Lb.	4.5	5.63	7.38	0.11
21013	1/2 oz. Tube Counter Box (40 Pcs.)	1	0 82353-21013 8	2 Lb.	2.75	5.63	7.13	0.06
21015	1/2 oz. Tube Clip Strip (12 Pcs.)	1	0 82353-21015 2	2 Lb.	31.25	3.25	4.875	0.29
51013	7 ml. Oiler Counter Box (48 Pcs.)	1	0 82353-51013 9	2 Lb.	2.75	5.63	7.13	0.06
51015	7 ml. Oiler Clip Strip (12 Pcs.)	1	0 82353-51015 3	2 Lb.	31.25	3.25	4.875	0.29



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Super Lube® Accessories**

11362E	Counter Display (Tray & Header Only)	1	0 82353-11996 7	2 Lb.	3.75	18.13	18.13	0.71
10201	Applicator Tip for 3 oz. Tube	60	0 82353-10201 3	1 Lb.	3.69	5.5	6.88	0.08

SYNCO CHEMICAL CORPORATION  
 SUPER LUBE®  
 P.O. Box 405  
 BOHEMIA, NY 11716-0405  
 (631) 567-5300 - Main office  
 (631) 567-5359 - Fax  
 (800) 253-5823  
 www.super-lube.com

**SYNCO CHEMICAL CORPORATION**  
*..... Super Lube®...“everywhere and no wear”!*



**Proudly Made in the U.S.A**

